

CERTIFICATE OF FIRE APPROVAL

This is to certify that

The product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.


Manufacturer	Dekodur GmbH & Co. KG
Address	Langenthaler Straße 4 D-69434 Hirschhorn/Neckar Germany
Type	MATERIAL HAVING LOW FLAME SPREAD CHARACTERISTICS & NOT CAPABLE OF PRODUCING EXCESSIVE QUANTITIES OF SMOKE & TOXIC PRODUCTS OF COMBUSTION
Description	Fire Resisting Material – Type: "Dekorial High Pressure Laminate with a genuine metal surface"
Specified Standard	IMO Res. MSC.61(67)-(FTP Code) Annex 1, Part 5 and Annex 2. IMO MSC/Circ.1120

The attached Design Appraisal Document forms part of this certificate.
This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

Date of issue	29 November 2009	Expiry date	28 November 2014
---------------	------------------	-------------	------------------

Certificate No.	SAS F090397
-----------------	-------------

Signed	
--------	---



Sheet No	1 of 2
----------	--------

Name	S. Abraham
------	------------

Surveyor to Lloyd's Register EMEA
A Member of the Lloyd's Register Group

Note:

This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register of any modification or changes to the equipment in order to obtain a valid Certificate.

Lloyd's Register, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register Group'. The Lloyd's Register Group assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register Group entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

DESIGN APPRAISAL DOCUMENT

Date

2 July 2010

Quote this reference on all future communications

LDSS/TA/SFS/SA

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS F090397

This Design Appraisal Document forms part of the Certificate.

APPROVAL DOCUMENTATION

Bauqualität TÜV Nord, Brandversuchshaus Hamburg, Germany, Test Report No. SN99.5.1, dated 11 February 1999.

CONDITIONS OF CERTIFICATION

1. Dekorial High pressure laminate consists of: phenolic resin impregnated craft paper with a 100 µm thick aluminium foil surface covering; total thickness 0.8mm and total weight per unit area of 1250g/m²
2. Smoke and toxicity criteria is satisfied by meeting the total heat release (Q_t) and peak heat release rate (q_p) as stated in IMO Fire Test Procedures Code, Annex 2, section 2.2.
3. Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure that items are of the same standard as the approved prototype.

PLACE OF PRODUCTION

Dekodur GmbH & Co. KG
Langenthaler Straße 4
D-69434 Hirschhorn/Neckar
Germany

Supplementary Type Approval Terms and Conditions

This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein, it does not mean or imply approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s).

Saji Abraham
Surveyor
Statutory Fire & Safety
London Design Support Office
Lloyd's Register EMEA

